



CONTENTS

INTRODUCTION	p.04
FEATURES	p.05
SLIM DOOR & WINDOW SERIES	p.06
FINGER PRINT HANDLE HINGE DOOR	p.13
FOLDING DOOR	p.14
SLIDING DOOR	p.17
LIFT AND SLIDE DOOR	p.20
HINGE DOOR	p.21
SLIDING WINDOW	p.23
CASEMENT WINDOW	p.25
2 IN 1 CASEMENT AND SCREEN WINDOW	p.27
PROJECT REFERENCE	p.28



Introducing the fusion of sophisticated engineering, elegant design and ergonomic comfort, Homelux Door and Window System is an ideal addition to high end home, appartement and offices.

DESIGN AND MANUFACTURE

Homelux Door and Window System products are designed with a high level of attention to detail on all aspects, and are precision manufactured to meet international standards, resulting in a broad range of products with excellent aesthetic and functional properties.

COMFORT AND INTEGRITY

Discover a completely new experience with maximum operational comfort and structural integrity. All HOMELUX Door & Window systems are tested for functional performance and protection, without compromising visual appearance.

ALUMINIUM DOOR & WINDOW SYSTEM



FEATURES



AIR
TIGHT



EPDM GASKET to IMPROVE WINDOW and DOOR PERFORMANCE




WATER PENETRATION up to 250 Pa



ALUMINIUM EXTRUSION A6063 T5




WIND PRESSURE up to 1100 Pa




OPENING FORCE < 6 Kg

SOUND REDUCTION

LAMINATED Glass
6mm + 0.76PVB + 6mm




DOUBLE Glass
6mm + 6mm air space + 6mm




INSULATION SYSTEM



ALUMINIUM WINDOW
and DOOR



ENERGY
SAVING



MULTIPOINT
LOCK




SLIM SLIDING DOOR FRAMELESS CORNER

NEW PSD50

FEATURES

- Sash height up to **3000 mm**.
- Sash width up to 2000 mm.
- Special slim design for panoramic fields of view.
- Sashes in the corner module can be opened simultaneously.



Free corner solution



Flush handle with
cylinder lock



Flush handle




SLIDE & SEALED DOOR FRAMELESS CORNER

NEW PSSD60

FEATURES

- Sash height up to **3000 mm**.
- Perfect sealed effect.
- Applicable for sliding - shifting - sliding - locking the sash through the handle
- Sashes in the corner module can be opened simultaneously.



Free corner solution



Handle with cylinder lock



SLIM SLIDING WINDOW



PSW50

FEATURES


- Sash height up to 1800 mm.
- Sash width up to 2000 mm.
- Panoramic field of view and increased natural lighting.



Flush handle



Flush handle with
cylinder lock



SLIM FOLDING DOOR AND WINDOW

NEW PFD63

FEATURES

- Sash height up to 2600 mm.
- Sash width up to 780 mm.
- Suitable for exterior application.
- High performance and water resistant.
- Available for window application.



Bi-folding
top roller



Bi-folding
bottom roller



Flush handle



Lever handle

SLIM COMPOSITE CASEMENT WINDOW

NEW PCW50

FEATURES

- Sash height up to 1900 mm.
- Sash width up to 950 mm.
- Handle flushed with frame without compromising functionality.
- High stability, sound sealed with high load capacity.



Lever Handle



Flush Handle



SLIM LIFT & SLIDE DOOR

NEW *PLSD60*

FEATURES


- Sash height up to 2600 mm.
- Sash width up to 1200 mm.
- Increased sound proofing



Handle



Roller





SLIM AUTOMATIC SLIDING DOOR



PSA

FEATURES

- Sash height up to 2600 mm.
- Sash width up to 2000 mm.
- Custom designed slim profile with wider field of view.
- Integrated automatic sensors and motorized sash.



Code Keyboard



Radar



Flush handle



Exit button



FINGER PRINT HANDLE HINGE DOOR

NEW AFD

FEATURES

- Sash height up to 2800 mm.
- Sash width up to 1000 mm.
- Operated by finger print scanner.

DOOR LOCKING HANDLE SYSTEM



Finger print & numerical key button



Top Roller



Bottom Roller



Pull handle

FOLDING DOOR

FD58

FEATURES

- Sash height up to **3000 mm**.
- Sash width up to 800 mm.
- Easy locking mechanism.
- Flexible opening position.
- Smooth operation.



Flush Bolt



Handle



Hinge



Hinges



Passive rebate lock



Multipoint lock

FOLDING DOOR

FD70

FEATURES

- Sash height up to **3000 mm**.
- Sash width up to 1000 mm.
- Bottom roller with ball bearing and top guide roller for smooth and comfort.
- Sash hinge with concealed screw.



Bottom Roller



FOLDING DOOR

FD83

FEATURES

- Sash height up to **4500** mm.
- Robust roller with top and bottom roller guide.
- Adaptable design with single or double glass.
- Large opening for wider view and circulation.




Top Roller



Bottom Roller



Pull Handle



Handle with thumb turn



Top track



Bottom track



Lever handle



Sliding handle

SLIDING DOOR

SD40-70

FEATURES

- Sash height up to **3000 mm**.
- Sash width up to 1000 mm.
- Flexible glass : single and double glass.
- Frame depth 106 mm.




SLIDING DOOR *Flush Track*


SD40

FEATURES

- Sash height up to **3000 mm**.
- Sash width up to 1500 mm.
- Flush track.
- Frame depth 106 mm.



Common Track



Flush Track



Door handle



Stopper



Flush Track



SLIDING DOOR with *Mosquito Screen*

SD40M

FEATURES

- Sash height up to **3000 mm**.
- Sash width up to 1000 mm.
- Mosquito screen : Stainless steel, Aluminium.
- Frame depth 159 mm.
- Flush track is available.



Screen sash and glass door handle



Stopper



Flush track



Mosquito screen



Locking position



Unlocking position



Roller

LIFT AND SLIDE DOOR

LS50

FEATURES

- Sash height up to **3000 mm**.
- Sash width up to **3000 mm**.
- Fitting with 4 wheel carriages makes easy to open the door.
- Flexible glass : single and double glass.



Locking system



HINGE DOOR

HD40

FEATURES

- Sash height up to **3000 mm**.
- Sash width up to 1200 mm.
- Flexible glass : single and double glass.
- Frame depth 66 mm.



Handle



Handle



Butt hinge



HINGE DOOR with *Mosquito Screen*

HD40M

FEATURES

- Sash height up to **3000 mm**.
- Sash width up to 1000 mm.
- Mosquito screen : Stainless steel, Aluminium.
- Flexible glass : single and double glass.




Inside Handle



Outside handle



Butt hinge



Mosquito screen

SLIDING WINDOW

SW40

FEATURES

- Sash height up to 2000 mm.
- Sash width up to 800 mm.
- Smooth operation.
- Frame depth 70 mm.



Bottom track



Lever handle



Multi point lock



SLIDING WINDOW with *Mosquito Screen*

SW40M

FEATURES

- Sash height up to 1800 mm.
- Sash width up to 800 mm.
- Mosquito screen : Stainless steel, Aluminium.
- Frame depth 159 mm.



Bottom track



Top slider



Bottom slider



Slide handle



Locking system



Bar hinge



Lever handle

CASEMENT WINDOW

CW40

FEATURES

- Sash height up to 2300 mm.
- Sash width up to 700 mm.
- Multi point lock
- Frame depth 70 mm.



Handle for glass window



Handle for screen sash



Butt Hinge



Bar hinge

CASEMENT WINDOW with *Mosquito Screen*

CW40M

FEATURES

- Sash height up to 2800 mm.
- Sash width up to 800 mm.
- Mosquito screen : Stainless steel, Aluminium.
- Flexible glass : single and double glass.




2 IN 1 CASEMENT and SCREEN WINDOW

CW40T

FEATURES

- Sash height up to 1500 mm.
- Sash width up to 700 mm.
- Mosquito screen : Stainless steel, Aluminium.
- Glass window and screen can be open together.



Handle



Open



Closed



Butt hinge

PROJECT REFERENCE




SENAYAN CITY, JAKARTA



GRAND INDONESIA, JAKARTA



CIPUTRA WORLD 2, JAKARTA



LAVIE ALL SUITE APARTEMENT, JAKARTA

PROJECT REFERENCE



TUNJUNGAN PLAZA 4 & 5, SURABAYA



TUNJUNGAN PLAZA 6, SURABAYA



LA MAISON, JAKARTA

PROJECT REFERENCE



ONE GALAXY MIXED DEVELOPMENT, SURABAYA



RITZ CARLTON, JAKARTA